



Calcium Carbonates

KULUCOTE 2 (D50 - 2.3 micron Coated Calcium Carbonate)
KULUBRITE 2 (D50 - 2.3 micron Calcium Carbonate)
KULUBRITE 2 Bulk bags
KULUBRITE 5 (D50 - 5.5 micron Calcium Carbonate)
KULUBRITE 10 (D50 - 10 micron Calcium Carbonate)
KULUBRITE 15 (D50 - 15 micron Calcium Carbonate)
KULUBRITE 45 (45 - 76% > 45 micron Calcium Carbonate)
KULUBRITE 45 BULK BAGS
KULU 15 (D50 - 15 micron Calcium Carbonate)
KULU 40 (D50 - 40 micron Calcium Carbonate)
KULU 200 (D50 - 200 micron Calcium Carbonate)
KULU - AGRIT (95% > 1mm, 0% > 4mm Calcium Carbonate)
KULUBRITE EXTRA (D50 - 0.8 micron Calcium Carbonate)

ROSSBRITE 2 (D50 - 2 micron Calcium Carbonate)
ROSSBRITE 5 (D50 - 5 micron Calcium Carbonate)
ROSSBRITE 10 (D50 - 10 micron Calcium Carbonate)
ROSSBRITE 12 (D50 - 12 micron Calcium Carbonate)
ROSSBRITE 15 (D50 - 18 micron Calcium Carbonate)
ROSSBRITE 45 (> 50% < 45 micron, Calcium Carbonate)

Emulsions

M366 - Styrene Acrylic 46% (210 kg)
M366 - Styrene Acrylic 46% (flow bin)

M813 - Pure Acrylic Emulsion (210 kg)
M820 - Pure Acrylic 46% (210 kg)
M748 - Sty/Acr. Aqueous Polymer (Drum)
M748 - Sty/Acr. Aqueous Polymer (Flow bin)
M812 - Highly flexible pure acrylic 49-51% solids
M818 - Pure Acrylic 47 - 49% Solids
M205 - Styrene Acrylic 45 - 47% Solids
MCP572 - Copolymer for use with Portland Cement

Iron Oxide - Deltarox

Black (330B) - 25kg
Brown (686SBR) - 25kg
Jet Black (770C) - 25kg
Red (LR130) - 25kg
Tan (2040U) - 25kg
Terracotta (110B) - 25kg
Yellow (313B) - 25kg
Green (G5605) - 25kg

Dry Additives for Paint Manufactures

TITANIUM DIOXIDE RC 708
FP 440 (Opacity Pigment)
BERMACOLL - EBS481 (Med Visc/Cellulose Ether)
ATTAGEL 50 - (thickener/suspending)
ARBOCEL BC 200 - (Celulose) Anti Cracking
MPD De-Foamer (20kg drum)
MPD De-Foamer (180kg drum)
MPD De-Foamer Control (820kg drum)
ASP8 - Acrylic Thickener (20kg drum)
ASP5 - Acrylic Thickener (25kg drum)
SATINTONE 5HB
SATINTONE W - (0.05% > 53um; 90 reflec; 55 oil abs)
CALCINED OW (CALCINDED KAOLIN)
KAOLIN C-98 (CALCINED KAOLIN)

Liquid Additives for Paint Manufacturers

Addaptol DB (Coalescent)
Disp 600N (Dispersant)
MPD850 Dispersant
MPD FOAM - Defoamer
Defoamer SL10
D091 - Acrylic Thickener
ASP3 - Acrylic Thickener
ASP5 - Acrylic Thickener
BUSAN 1186 - Biocide/Acticide. Dosage to emulsion at 0,3 - 0.8%
MEG - Mono Ethylene Glycol
PG - Propylene Glycol
NP 9 Surfactant - emulsifier, wetting, dispersant agent
Ammonia Hydroxide 25% Solution

Graded Silica sand and powders

SILICA FLOUR 150# (S15)
SILICA FLOUR 200# (S95)
SILICA FLOUR 325# (S1)
SILICA SAND 0 - 1 mm - D33 bulk bags
SILICA SAND 0 - 1 mm - D33 25kg bags
SUPER WHITE STONES 1.6 MM (50 kg)
SUPER WHITE STONES 1 MM (50 kg)
KALAHARI STONES 1.6 MM (50 kg)
KALAHARI STONES 1 MM (50 kg)
MIDNIGHT BLACK STONES 1.6 MM (50 kg)
MIDNIGHT BLACK STONES 1 MM (50 kg)
2 mm FILTER SAND (40 kg)
WOLLASTONITE 200#
MICROBRITE 2 (< 1.0% retained at 25µm)
PLASTER OF PARIS(set time 25 min)

Barium Sulphate

BARYTES SW (White) 25kg
BARYTES SG (Grey) 25 kg

Muscovite

MICA 325# DG

MICA 60 #

MICA 40#

Talc - Magnesium Silicate

TALC SR - (1% retained 25um, > 90 reflect)

TALC MP (53 micron, reflectance 85%)

Pyrophyllite

ALSIL P - (5% > 45um; 80 reflectance)

PYROFIL - (15% > 10um; 87 reflectance)

ALS 50 - (1% > 53um, 83 reflectance)

ALS 100 - (3% > 106um; 75 reflectance)

Kaolin or China clay

KOALIN M - (Off white; 1% > 45um; 79 -83 reflectance)

KAOSIL 50 (Kaolin replacement in paint applications)

Bentonite

ECCABOND N

ECCABOND N (Bulk Bags)

ECCAGEL OCMA GRADE

ECCAGEL OCMA GRADE BULK BAGS
